



Bromacil (ESI+)


■ +EPI (261,00) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 2,898 to 3,010 min from Sample 1 (Bromacil_D200_Methanol_P) of Bromacil.wiff (Tu... Max. 3,8e5 cps




■ +EPI (261,00) Charge (+0) CE (20) FT (50): Exp 3, 2,907 to 3,019 min from Sample 1 (Bromacil_D200_Methanol_P) of Bromacil.wiff (Turbo Spray... Max. 1,5e6 cps



■ +EPI (261,00) Charge (+0) CE (35) FT (50): Exp 4, 2,916 to 3,028 min from Sample 1 (Bromacil_D200_Methanol_P) of Bromacil.wiff (Turbo Spray... Max. 7,9e5 cps



■ +EPI (261,00) Charge (+0) CE (50) FT (50): Exp 5, 2,925 to 3,036 min from Sample 1 (Bromacil_D200_Methanol_P) of Bromacil.wiff (Turbo Spray... Max. 1,8e5 cps



Bromacil (ESI+)

■ +EPI (261,00) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 2,906 min from Sample 2 (Bromacil_D2000_Methanol_P) of Bromacil.wiff (Turbo Spr... Max. 3,0e6 cps

