



Phorat-sulfon (ESI+)


■ +EPI (293.00) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3.215 min from Sample 1 (Phorat-sulfon_D200_Methanol_P) of Phorat-sulfon_n_Ein... Max. 1.2e6 cps.




■ +EPI (293.00) Charge (+0) CE (20) FT (50): Exp 3, 3.224 min from Sample 1 (Phorat-sulfon_D200_Methanol_P) of Phorat-sulfon_n_Einwaage.wif... Max. 1.5e6 cps.



■ +EPI (293.00) Charge (+0) CE (35) FT (50): Exp 4, 3.232 min from Sample 1 (Phorat-sulfon_D200_Methanol_P) of Phorat-sulfon_n_Einwaage.wif... Max. 2.0e6 cps.




■ +EPI (293.00) Charge (+0) CE (50) FT (50): Exp 5, 3.241 min from Sample 1 (Phorat-sulfon_D200_Methanol_P) of Phorat-sulfon_n_Einwaage.wif... Max. 2.1e6 cps.




Phorat-sulfon (ESI+)


■ +EPI (293.00) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3.225 min from Sample 2 (Phorat-sulfon_D2000_Methanol_P) of Phorat-sulfon_n_Ei... Max. 7.4e6 cps.



■ +EPI (293.00) Charge (+0) CE (20) FT (50): Exp 3, 3.233 min from Sample 2 (Phorat-sulfon_D2000_Methanol_P) of Phorat-sulfon_n_Einwaage.w... Max. 5.3e6 cps.



■ +EPI (293.00) Charge (+0) CE (35) FT (50): Exp 4, 3.242 min from Sample 2 (Phorat-sulfon_D2000_Methanol_P) of Phorat-sulfon_n_Einwaage.w... Max. 7.2e6 cps.



■ +EPI (293.00) Charge (+0) CE (50) FT (50): Exp 5, 3.251 min from Sample 2 (Phorat-sulfon_D2000_Methanol_P) of Phorat-sulfon_n_Einwaage.w... Max. 6.2e6 cps.

