



# Isoproturon (ESI+)


■ +EPI (207,10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3,305 min from Sample 1 (Isoproturon\_D200\_Methanol\_P) of Isoproturon.wiff (Turbo ... Max. 1,5e6 cps




■ +EPI (207,10) Charge (+0) CE (20) FT (50): Exp 3, 3,314 min from Sample 1 (Isoproturon\_D200\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 5,9e6 cps



■ +EPI (207,10) Charge (+0) CE (35) FT (50): Exp 4, 3,322 min from Sample 1 (Isoproturon\_D200\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 3,5e6 cps




■ +EPI (207,10) Charge (+0) CE (50) FT (50): Exp 5, 3,331 min from Sample 1 (Isoproturon\_D200\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 3,5e6 cps




# Isoproturon (ESI+)


■ +EPI (207,10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3,318 min from Sample 2 (Isoproturon\_D2000\_Methanol\_P) of Isoproturon.wiff (Turb... Max. 6,3e6 cps



■ +EPI (207,10) Charge (+0) CE (20) FT (50): Exp 3, 3,327 min from Sample 2 (Isoproturon\_D2000\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 8,7e6 cps



■ +EPI (207,10) Charge (+0) CE (35) FT (50): Exp 4, 3,336 min from Sample 2 (Isoproturon\_D2000\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 9,0e6 cps



■ +EPI (207,10) Charge (+0) CE (50) FT (50): Exp 5, 3,345 min from Sample 2 (Isoproturon\_D2000\_Methanol\_P) of Isoproturon.wiff (Turbo Spray) Max. 7,9e6 cps

