



Profenofos (ESI+)




Profenofos (ESI+)


■ +EPI (372.90) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 4.353 min from Sample 1 (Profenofos_D200_Methanol_P) of Profenofos.wiff (Turbo ... Max. 1.7e6 cps.




■ +EPI (372.90) Charge (+0) CE (20) FT (50): Exp 3, 4.362 min from Sample 1 (Profenofos_D200_Methanol_P) of Profenofos.wiff (Turbo Spray) Max. 5.0e6 cps.



■ +EPI (372.90) Charge (+0) CE (35) FT (50): Exp 4, 4.371 min from Sample 1 (Profenofos_D200_Methanol_P) of Profenofos.wiff (Turbo Spray) Max. 4.1e6 cps.




■ +EPI (372.90) Charge (+0) CE (50) FT (50): Exp 5, 4.380 min from Sample 1 (Profenofos_D200_Methanol_P) of Profenofos.wiff (Turbo Spray) Max. 1.8e6 cps.




Profenofos (ESI+)


■ +EPI (372.90) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 4.445 min from Sample 2 (Profenofos_D2000_Methanol_P) of Profenofos.wiff (Turb... Max. 3.6e6 cps.



■ +EPI (372.90) Charge (+0) CE (20) FT (50): Exp 3, 4.454 min from Sample 2 (Profenofos_D2000_Methanol_P) of Profenofos.wiff (Turb... Max. 8.9e6 cps.



■ +EPI (372.90) Charge (+0) CE (35) FT (50): Exp 4, 4.463 min from Sample 2 (Profenofos_D2000_Methanol_P) of Profenofos.wiff (Turb... Max. 7.9e6 cps.



■ +EPI (372.90) Charge (+0) CE (50) FT (50): Exp 5, 4.472 min from Sample 2 (Profenofos_D2000_Methanol_P) of Profenofos.wiff (Turb... Max. 4.8e6 cps.

