



# Pyriproxyfen (ESI+)


■ +EPI (322.10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 4.527 min from Sample 1 (Pyriproxyfen\_D200\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray) Max. 3.5e6 cps




■ +EPI (322.10) Charge (+0) CE (20) FT (50): Exp 3, 4.536 min from Sample 1 (Pyriproxyfen\_D200\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray) Max. 4.0e6 cps



■ +EPI (322.10) Charge (+0) CE (35) FT (50): Exp 4, 4.545 min from Sample 1 (Pyriproxyfen\_D200\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray) Max. 5.6e6 cps




■ +EPI (322.10) Charge (+0) CE (50) FT (50): Exp 5, 4.554 min from Sample 1 (Pyriproxyfen\_D200\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray) Max. 4.2e6 cps




# Pyriproxyfen (ESI+)


■ +EPI (322.10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 4.526 min from Sample 2 (Pyriproxyfen\_D2000\_Methanol\_P) of Pyriproxyfen.wiff (T ... Max. 7.9e6 cps.



■ +EPI (322.10) Charge (+0) CE (20) FT (50): Exp 3, 4.535 min from Sample 2 (Pyriproxyfen\_D2000\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray... Max. 8.7e6 cps.



■ +EPI (322.10) Charge (+0) CE (35) FT (50): Exp 4, 4.544 min from Sample 2 (Pyriproxyfen\_D2000\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray... Max. 8.5e6 cps.



■ +EPI (322.10) Charge (+0) CE (50) FT (50): Exp 5, 4.553 min from Sample 2 (Pyriproxyfen\_D2000\_Methanol\_P) of Pyriproxyfen.wiff (Turbo Spray... Max. 8.2e6 cps.

