



Clomazone (ESI+)


■ +EPI (240,10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3,450 min from Sample 1 (Clomazone_D200_Methanol_P) of Clomazone.wiff (Turbo ... Max. 5,9e6 cps




■ +EPI (240,10) Charge (+0) CE (20) FT (50): Exp 3, 3,458 min from Sample 1 (Clomazone_D200_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 5,7e6 cps



■ +EPI (240,10) Charge (+0) CE (35) FT (50): Exp 4, 3,467 min from Sample 1 (Clomazone_D200_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 5,7e6 cps




■ +EPI (240,10) Charge (+0) CE (50) FT (50): Exp 5, 3,476 min from Sample 1 (Clomazone_D200_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 4,0e6 cps




Clomazone (ESI+)


■ +EPI (240,10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3,423 min from Sample 2 (Clomazone_D2000_Methanol_P) of Clomazone.wiff (Turb... Max. 8,2e6 cps



■ +EPI (240,10) Charge (+0) CE (20) FT (50): Exp 3, 3,432 min from Sample 2 (Clomazone_D2000_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 8,7e6 cps



■ +EPI (240,10) Charge (+0) CE (35) FT (50): Exp 4, 3,441 min from Sample 2 (Clomazone_D2000_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 8,7e6 cps



■ +EPI (240,10) Charge (+0) CE (50) FT (50): Exp 5, 3,450 min from Sample 2 (Clomazone_D2000_Methanol_P) of Clomazone.wiff (Turbo Spray) Max. 7,4e6 cps

