


# Propachlor (ESI+)


■ +EPI (212.10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3.272 min from Sample 1 (Propachlor\_D200\_Methanol\_P) of Propachlor.wiff (Turbo ...

Max. 2.5e6 cps.




■ +EPI (212.10) Charge (+0) CE (20) FT (50): Exp 3, 3.281 min from Sample 1 (Propachlor\_D200\_Methanol\_P) of Propachlor.wiff (Turbo Spray)

Max. 8.1e6 cps.




■ +EPI (212.10) Charge (+0) CE (35) FT (50): Exp 4, 3.290 min from Sample 1 (Propachlor\_D200\_Methanol\_P) of Propachlor.wiff (Turbo Spray)

Max. 2.7e6 cps.




■ +EPI (212.10) Charge (+0) CE (50) FT (50): Exp 5, 3.299 min from Sample 1 (Propachlor\_D200\_Methanol\_P) of Propachlor.wiff (Turbo Spray)

Max. 1.6e6 cps.




# Propachlor (ESI+)


■ +EPI (212.10) Charge (+0) CE (35) CES (15) FT (50): Exp 2, 3.239 min from Sample 2 (Propachlor\_D2000\_Methanol\_P) of Propachlor.wiff (Turbo Spray) Max. 8.5e6 cps.



■ +EPI (212.10) Charge (+0) CE (20) FT (50): Exp 3, 3.248 min from Sample 2 (Propachlor\_D2000\_Methanol\_P) of Propachlor.wiff (Turbo Spray) Max. 9.8e6 cps.



■ +EPI (212.10) Charge (+0) CE (35) FT (50): Exp 4, 3.257 min from Sample 2 (Propachlor\_D2000\_Methanol\_P) of Propachlor.wiff (Turbo Spray) Max. 9.0e6 cps.



■ +EPI (212.10) Charge (+0) CE (50) FT (50): Exp 5, 3.266 min from Sample 2 (Propachlor\_D2000\_Methanol\_P) of Propachlor.wiff (Turbo Spray) Max. 9.0e6 cps.

